

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μ S/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μ S/cm) (00095)	Water temperature (°C) (00010)
Sweetwater Reservoir near pump tower						
November 29, 1999	1240	0.1	6.8	8.2	921	16.0
	1241	1.0	6.8	8.6	921	15.6
	1242	2.0	6.9	8.6	920	15.5
	1243	3.0	7.0	8.6	921	15.5
	1244	4.0	7.0	8.5	922	15.5
	1245	5.0	6.9	8.5	922	15.5
	1246	6.0	6.7	8.5	922	15.5
	1247	7.0	6.4	8.5	922	15.5
	1248	8.0	6.5	8.5	922	15.5
	1249	9.0	6.5	8.5	923	15.5
	1250	10.0	5.3	8.4	924	15.4
March 13, 2000	1200	0.1	11.6	8.4	833	17.0
	1201	1.0	11.0	8.6	830	16.4
	1202	2.0	11.0	8.4	829	15.7
	1203	3.0	10.1	8.3	825	15.0
	1204	4.0	9.1	8.2	825	14.7
	1205	5.0	8.6	8.2	825	14.6
	1206	6.0	8.4	8.2	826	14.5
	1207	7.0	7.8	8.1	825	14.5
	1208	8.0	7.5	8.0	826	14.4
	1209	9.0	7.0	8.0	825	14.4
	1210	10.0	6.8	7.9	826	14.4
	1211	11.0	6.6	7.9	826	14.4
	1212	12.0	6.5	7.9	826	14.3
	1213	13.0	6.1	7.8	827	14.3
1214	13.9	5.1	7.7	924	14.4	
June 12, 2000	1120	0.1	8.3	8.4	915	24.8
	1121	1.0	8.7	8.5	915	24.3
	1122	2.0	8.8	8.5	915	24.1
	1123	3.0	8.7	8.5	915	24.0
	1124	4.0	8.5	8.5	915	23.8
	1125	5.0	1.3	7.7	897	20.8
	1126	6.0	0.4	7.7	895	20.5
	1127	7.0	0.2	7.7	894	20.2
	1128	8.0	0.1	7.8	888	19.6
	1129	9.0	0.1	7.8	885	19.4
	1130	10.0	0.1	7.8	879	18.7
	1131	11.0	0.1	7.8	877	18.1
	1132	12.0	0.1	8.1	896	17.9

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey’s computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μS/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μS/cm) (00095)	Water temperature (°C) (00010)
September 5, 2000	1135	0.1	8.1	8.3	948	25.2
	1136	1.0	8.1	8.3	949	25.2
	1137	2.0	7.5	8.3	948	24.1
	1138	3.0	6.5	8.2	949	23.8
	1139	4.0	6.3	8.2	950	23.7
	1140	5.0	6.2	8.2	949	23.7
	1141	6.0	0.2	8.6	938	22.4
	1142	7.0	0.1	7.6	935	22.2
	1143	8.0	0.0	7.5	929	21.5
December 4, 2000	1200	0.1	4.3	8.0	992	14.9
	1201	1.0	3.8	8.1	995	14.2
	1202	2.0	3.3	8.1	996	14.1
	1203	3.0	3.2	8.1	998	14.0
	1204	4.0	3.0	8.0	999	14.0
	1205	5.0	2.9	8.0	999	14.0
	1206	6.0	2.8	8.0	999	14.0
	1207	7.0	2.6	8.0	999	14.0
	1208	7.8	0.5	7.9	1,120	14.3
March 20, 2001	1220	0.1	15.1	8.6	941	19.5
	1221	1.0	14.9	8.7	946	18.0
	1222	2.0	13.6	8.7	944	17.4
	1223	3.0	10.4	8.6	940	15.6
	1224	4.0	7.5	8.4	950	14.3
	1225	5.0	6.7	8.4	951	14.1
	1226	6.0	6.5	8.4	952	14.0
	1227	7.0	5.8	8.3	954	13.9
	1228	8.0	4.7	8.2	956	13.8
	1229	9.0	4.3	8.2	957	13.7
	1230	10.0	3.2	8.1	958	13.7
	1231	11.0	3.2	8.1	958	13.7
	1232	12.0	3.0	8.0	959	13.7
1233	12.8	0.3	8.0	990	13.7	
June 6, 2001	0955	0.1	7.8	8.3	1,030	22.4
	0956	1.0	7.9	8.3	1,030	22.2
	0957	2.0	7.8	8.3	1,030	22.1
	1020	3.0	7.8	8.3	1,030	22.1
	0958	4.0	7.8	8.3	1,030	22.0
	0959	5.0	7.8	8.3	1,030	22.0
	1000	6.0	1.9	7.7	983	19.2
	1001	7.0	0.3	7.7	968	17.5
	1002	8.0	0.2	7.6	967	17.1
	1003	9.0	0.1	7.6	966	16.6
	1004	11.0	0.2	7.5	966	16.4
	1010	10.0	0.2	7.6	966	16.6
	1005	12.0	0.1	7.5	966	16.3
	1006	12.7	0.1	7.7	1,120	16.2

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; $\mu\text{S}/\text{cm}$, microsiemens per centimeter; $^{\circ}\text{C}$, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance ($\mu\text{S}/\text{cm}$) (00095)	Water temperature ($^{\circ}\text{C}$) (00010)
September 6, 2001	0930	0.1	ND	8.4	ND	25.0
	0931	1.0	ND	8.4	ND	25.1
	0932	2.0	ND	8.5	ND	25.0
	0933	3.0	ND	8.5	ND	25.0
	0934	4.0	ND	8.4	ND	25.0
	0935	5.0	ND	7.6	ND	23.0
	0936	6.0	ND	7.5	ND	22.7
	0937	7.0	ND	7.5	ND	22.4
	0938	8.0	ND	7.3	ND	17.7
	0939	8.8	ND	7.4	ND	17.4
Sweetwater Reservoir center of minimum pool						
November 29, 1999	1310	0.1	8.8	8.7	924	16.3
	1311	1.0	8.7	8.7	922	16.3
	1312	2.0	7.1	8.5	924	15.6
	1313	3.0	6.7	8.5	925	15.5
	1314	4.0	6.8	8.5	925	15.5
	1315	5.0	6.6	8.5	924	15.5
	1316	6.0	6.7	8.5	925	15.5
	1317	7.0	6.6	8.5	925	15.5
	1318	8.0	6.5	8.4	925	15.4
	1319	9.0	6.6	8.4	925	15.4
	1320	10.0	6.4	8.4	926	15.3
	March 13, 2000	1240	0.1	11.6	8.4	832
1241		1.0	12.0	8.4	831	16.7
1242		2.0	11.4	8.3	824	15.7
1243		3.0	10.8	8.2	826	15.3
1244		4.0	9.6	8.1	824	14.8
1245		5.0	9.2	8.0	825	14.7
1246		6.0	8.9	8.0	825	14.6
1247		7.0	8.1	7.9	825	14.5
1248		8.0	8.0	7.9	825	14.5
1249		9.0	7.4	7.8	827	14.4
1250		10.0	6.7	7.8	830	14.4
1251		11.0	6.6	7.8	829	14.4
1252		12.0	6.3	7.8	829	14.3
1253		13.0	6.2	7.7	829	14.3
1254		14.0	5.9	7.7	829	14.3
1255	15.0	5.3	7.7	829	14.3	

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; $\mu\text{S}/\text{cm}$, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance ($\mu\text{S}/\text{cm}$) (00095)	Water temperature (°C) (00010)
June 12, 2000	1220	0.1	8.3	8.5	917	24.9
	1221	1.0	8.4	8.5	916	24.9
	1222	2.0	8.5	8.5	916	24.5
	1223	3.0	8.2	8.5	915	24.0
	1224	4.0	6.1	8.4	916	23.3
	1225	5.0	1.2	7.8	905	21.6
	1226	6.0	0.7	7.8	900	21.2
	1227	7.0	0.6	7.8	892	20.2
	1228	8.0	0.4	7.8	889	19.8
	1229	9.0	0.3	7.8	879	18.7
	1230	10.0	0.1	7.8	879	18.6
	1231	11.0	0.2	7.8	877	18.3
	1232	12.0	0.1	7.8	875	17.9
	1233	13.0	0.1	7.8	876	17.7
September 5, 2000	1225	0.1	8.3	8.6	946	25.4
	1226	1.0	8.2	8.6	947	24.8
	1227	2.0	6.8	8.6	947	24.0
	1228	3.0	6.3	8.5	947	23.9
	1229	4.0	6.1	8.5	948	23.8
	1230	5.0	6.1	8.5	949	23.7
	1231	6.0	0.2	8.0	942	23.0
	1232	7.0	0.1	7.8	934	22.1
	1233	8.0	0.0	7.7	921	20.2
	1234	9.0	0.0	7.7	920	19.5
	1235	10.0	0.1	7.7	924	19.2
December 4, 2000	1230	0.1	3.7	8.1	999	14.8
	1231	1.0	3.7	8.1	996	14.8
	1232	2.0	3.6	8.2	995	14.2
	1233	3.0	3.5	8.2	995	14.1
	1234	4.0	3.4	8.2	995	14.1
	1235	5.0	3.4	8.2	996	14.0
	1236	6.0	3.1	8.2	997	14.0
	1237	7.0	2.7	8.1	999	14.0
	1238	8.0	2.2	8.1	998	14.0
	1239	8.3	0.5	8.2	1,000	14.0
March 20, 2001	1314	4.0	8.4	8.6	944	14.7
	1315	5.0	7.8	8.5	948	14.3
	1316	6.0	7.1	8.4	951	14.2
	1317	7.0	6.4	8.4	952	14.1
	1318	8.0	5.3	8.3	954	13.9
	1319	9.0	5.1	8.3	955	13.8
	1320	10.0	5.1	8.3	955	13.8
	1321	11.0	4.2	8.2	956	13.7
	1322	12.0	3.6	8.2	957	13.7
	1323	13.0	2.9	8.2	958	13.7

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; $\mu\text{S}/\text{cm}$, microsiemens per centimeter; $^{\circ}\text{C}$, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance ($\mu\text{S}/\text{cm}$) (00095)	Water temperature ($^{\circ}\text{C}$) (00010)
September 6, 2001	1005	0.1	ND	8.7	ND	25.6
	1006	1.0	ND	8.7	ND	25.5
	1007	2.0	ND	8.7	ND	25.4
	1008	3.0	ND	8.6	ND	25.2
	1009	4.0	ND	8.1	ND	24.7
	1010	5.0	ND	7.7	ND	24.1
	1011	6.0	ND	7.5	ND	22.9
	1012	7.0	ND	7.5	ND	20.3
	1013	8.0	ND	7.4	ND	18.3
	1014	9.0	ND	7.3	ND	17.6
	1015	9.7	ND	7.4	ND	17.4
Sweetwater Reservoir east end reservoir fill boundary						
November 29, 1999	1350	0.1	9.8	8.8	921	16.6
	1351	1.0	10.1	8.8	921	16.6
	1352	2.0	10.3	8.8	922	16.6
	1353	2.7	9.2	8.7	923	16.3
	1400					
March 13, 2000	1310	0.1	12.7	8.3	849	18.1
	1311	1.0	13.1	8.3	849	18.1
	1312	2.0	12.5	8.3	859	17.8
	1313	3.0	10.3	7.7	843	15.4
June 12, 2000	1330	0.1	8.4	8.4	921	25.8
	1331	1.0	8.4	8.4	920	25.8
September 5, 2000	1255	0.1	9.0	8.4	946	25.8
	1256	0.8	8.9	8.4	947	25.7
March 20, 2001	1400	1.0	ND	ND	ND	ND
June 6, 2001	1039	0.1	7.7	8.3	1,040	23.6
	1040	1.0	7.2	8.3	1,040	23.4
	1042	1.9	6.2	8.2	1,030	22.6
September 6, 2001	1045	0.1	ND	8.6	ND	25.9
	1046	0.5	ND	8.6	ND	25.9
Sweetwater River at low-flow diversion above Sweetwater Reservoir						
November 29, 1999	1630	ND	ND	ND	ND	ND
January 29, 2000	0245	ND	8.5	7.9	2,590	11.3
January 29, 2000	1445	ND	7.8	8.0	2,690	12.3

20 Water- and Air-Quality Monitoring, Sweetwater Reservoir Watershed, San Diego County, California,.... 1999–2001

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey’s computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μ S/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μ S/cm) (00095)	Water temperature (°C) (00010)
January 30, 2000	0200	ND	10.0	8.0	1,040	11.9
January 30, 2000	1405	ND	11.7	8.1	784	13.3
March 13, 2000	1500	ND	ND	ND	ND	ND
June 12, 2000	1630	ND	ND	ND	ND	ND
September 5, 2000	1520	ND	ND	ND	ND	ND
December 4, 2000	1420	ND	ND	ND	ND	ND
March 20, 2001	1600	ND	ND	ND	ND	ND
June 5, 2001	1500	ND	6.7	7.7	2,590	20.8
September 6, 2001	1615	ND	ND	ND	ND	ND
Loveland Reservoir near dam						
November 30, 1999	0950	0.1	7.5	8.2	471	14.9
	0951	1.0	7.3	8.1	471	14.9
	0952	2.0	7.4	8.2	471	14.8
	0953	3.0	7.3	8.2	472	14.7
	0954	4.0	7.2	8.2	471	14.7
	0955	5.0	7.1	8.2	472	14.7
	0956	6.0	7.2	8.2	471	14.6
	0957	7.0	7.1	8.1	472	14.6
	0958	8.0	7.1	8.1	472	14.6
	0959	9.0	7.2	8.1	472	14.6
	1000	10.0	7.2	8.1	472	14.6
	1001	12.0	7.2	8.1	472	14.6
	1002	14.0	7.2	8.1	471	14.6
	1003	16.0	0.5	7.5	412	12.2
	1004	18.0	0.4	7.5	410	11.9
	1005	20.0	0.3	7.4	411	11.7
	1006	22.0	0.2	7.4	412	11.7
	1007	24.0	0.2	7.4	411	11.6
	1008	26.0	0.3	7.4	412	11.6
	1009	28.0	0.2	7.4	412	11.6
	1010	30.0	0.1	7.3	412	11.6
	1011	32.0	0.1	7.3	411	11.6
	1012	34.0	0.1	7.3	411	11.6
	1013	36.0	0.1	7.3	412	11.6
	1014	38.0	0.1	7.3	411	11.6
	1015	38.9	0.1	7.0	603	11.7

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μ S/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μ S/cm) (00095)	Water temperature (°C) (00010)
March 14, 2000	0935	0.1	11.2	8.2	486	15.3
	0936	1.0	10.9	8.3	487	15.2
	0937	2.0	11.2	8.3	486	14.4
	0938	3.0	10.9	8.3	485	14.3
	0939	4.0	10.8	8.3	485	14.2
	0940	5.0	10.1	8.1	484	13.5
	0941	6.0	8.9	7.8	483	12.8
	0942	7.0	7.7	7.8	480	12.7
	0943	8.0	7.2	7.7	481	12.5
	0944	9.0	6.9	7.7	481	12.5
	0945	10.0	6.8	7.7	481	12.5
	0946	12.0	6.8	7.7	481	12.4
	0947	14.0	6.8	7.7	480	12.4
	0948	16.0	6.8	7.6	480	12.4
	0949	18.0	6.7	7.6	481	12.4
	0950	20.0	6.4	7.6	481	12.4
	0951	22.0	6.5	7.5	481	12.4
	0952	24.0	6.5	7.5	481	12.4
	0953	26.0	6.4	7.5	481	12.4
	0954	28.0	6.3	7.5	481	12.4
0955	29.0	6.0	7.5	479	12.3	
June 13, 2000	0930	0.1	8.2	8.6	207	23.2
	0931	1.0	8.3	8.6	522	23.1
	0932	2.0	8.3	8.6	522	23.1
	0933	3.0	8.2	8.6	521	23.1
	0934	4.0	8.2	8.6	521	23.0
	0935	5.0	8.0	8.6	522	22.9
	0936	6.0	2.6	7.8	517	20.8
	0937	7.0	0.5	7.7	502	17.3
	0938	8.0	0.5	7.7	493	15.9
	0939	9.0	0.2	7.7	490	14.7
	0940	10.0	0.1	7.8	486	13.6
	0941	12.0	0.0	7.8	483	13.0
	0942	14.0	0.1	7.8	483	12.8
	0943	16.0	0.1	7.8	483	12.7
	0944	18.0	0.0	7.8	484	12.7
	0945	20.0	0.0	7.8	483	12.6
	0946	22.0	0.1	7.8	481	12.6
	0947	24.0	0.0	7.7	485	12.6
0948	26.0	0.0	7.7	487	12.5	

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μ S/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μ S/cm) (00095)	Water temperature (°C) (00010)
September 6, 2000	0925	0.1	7.5	8.3	522	23.3
	0926	1.0	7.4	8.3	523	23.2
	0927	2.0	7.3	8.3	523	23.2
	0928	3.0	7.3	8.3	523	23.1
	0929	4.0	7.3	8.3	523	23.1
	0930	5.0	7.1	8.3	523	23.1
	0931	6.0	7.2	8.3	523	23.1
	0932	7.0	7.0	8.3	523	23.0
	0933	8.0	1.4	7.5	507	19.9
	0934	9.0	0.1	7.5	500	16.5
	0935	10.0	0.1	7.5	493	15.0
	0936	12.0	0.1	7.7	487	13.4
	0937	14.0	0.1	7.7	486	13.0
	0938	16.0	0.0	7.7	488	12.8
	0939	18.0	0.0	7.7	489	12.8
	0940	20.0	0.1	7.7	489	12.7
	0941	22.0	0.1	7.7	488	12.7
0942	24.0	0.1	7.7	491	12.6	
0943	26.0	0.0	7.6	492	12.6	
0944	27.0	0.0	7.6	527	12.6	
December 5, 2000	0950	0.1	6.6	8.0	513	13.4
	0951	1.0	6.5	8.1	515	13.2
	0952	2.0	6.4	8.1	515	13.1
	0953	3.0	6.2	8.1	515	13.0
	0954	4.0	6.1	8.1	516	12.9
	0955	5.0	5.8	8.1	516	12.8
	0956	6.0	5.7	8.1	516	12.8
	0957	7.0	5.6	8.0	516	12.7
	0958	8.0	5.5	8.0	515	12.7
	0959	9.0	5.5	8.0	516	12.7
	1000	10.0	5.5	8.0	515	12.7
	1001	12.0	5.4	8.0	516	12.7
	1002	14.0	5.4	7.9	516	12.7
	1003	16.0	5.4	7.9	516	12.6
	1004	18.0	5.4	7.9	515	12.6
	1005	20.0	5.3	7.9	517	12.6
	1006	22.0	5.3	7.9	515	12.6
1007	24.0	5.4	7.8	515	12.6	
1008	26.0	5.4	7.8	515	12.6	
1009	28.0	5.2	7.8	516	12.6	
1010	28.2	1.1	7.5	549	12.6	

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; $\mu\text{S}/\text{cm}$, microsiemens per centimeter; $^{\circ}\text{C}$, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance ($\mu\text{S}/\text{cm}$) (00095)	Water temperature ($^{\circ}\text{C}$) (00010)
March 21, 2001	1100	0.1	12.4	8.2	537	17.4
	1101	1.0	12.7	8.4	535	17.4
	1102	2.0	13.0	8.5	536	16.7
	1103	3.0	12.5	8.4	535	14.5
	1104	4.0	11.0	8.3	534	12.7
	1105	5.0	9.9	8.3	533	12.3
	1106	6.0	8.5	8.2	532	11.6
	1107	7.0	7.7	8.1	533	11.2
	1108	8.0	6.7	8.1	532	11.0
	1109	9.0	6.3	8.1	533	10.9
	1110	10.0	5.6	8.0	533	10.8
	1111	12.0	5.3	8.0	533	10.8
	1112	14.0	5.1	8.0	532	10.7
	1113	16.0	5.0	8.0	532	10.6
	1114	18.0	4.9	7.9	532	10.6
	1115	20.0	4.7	7.9	532	10.6
	1116	22.0	4.8	7.9	532	10.5
	1117	24.0	4.8	7.8	531	10.5
	1118	26.0	4.6	7.8	531	10.5
1119	28.0	4.7	7.8	531	10.4	
1120	29.0	0.3	7.4	640	10.5	
June 5, 2001	1110	0.1	11.0	9.4	490	23.1
	1111	1.0	10.9	9.3	494	23.0
	1140	2.0	10.1	9.3	488	22.2
	1112	3.0	9.5	9.3	485	22.1
	1113	4.0	9.3	9.3	486	21.9
	1114	5.0	0.2	7.8	540	15.4
	1115	10.0	0.1	7.7	537	11.8
	1116	20.0	0.0	7.5	536	11.1
	1117	25.0	0.0	7.5	535	11.0
	1118	28.0	0.0	7.3	544	11.0
1130	15.0	0.0	7.6	538	11.2	
September 6, 2001	1415	0.1	ND	10.0	ND	26.1
	1416	1.0	ND	9.5	ND	25.5
	1417	2.0	ND	9.4	ND	25.2
	1418	3.0	ND	9.1	ND	24.1
	1419	4.0	ND	9.0	ND	24.0
	1420	5.0	ND	7.8	ND	21.0
	1421	6.0	ND	7.4	ND	17.5
	1422	7.0	ND	7.3	ND	15.0
	1423	8.0	ND	7.3	ND	13.9
	1424	9.0	ND	7.3	ND	13.1
	1425	10.0	ND	7.3	ND	12.3
	1426	12.0	ND	7.2	ND	11.8
	1427	14.0	ND	7.2	ND	11.5
1428	16.0	ND	7.2	ND	11.5	

Table 2. Water-quality depth-profile field data for Sweetwater and Loveland Reservoir sampling sites and for Sweetwater River above Sweetwater Reservoir, San Diego County, California—Continued.

[Time is denoted in 24-hour scale; the five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey's computerized data system (National Water Information System) to uniquely identify a specific constituent or property; m, meter; mg/L, milligram per liter; μ S/cm, microsiemens per centimeter; °C, degree Celsius; ND, no data]

Date	Time	Sampling depth (m) (00098)	Oxygen, dissolved (mg/L) (00300)	pH, water whole field (standard units) (00400)	Specific conductance (μS/cm) (00095)	Water temperature (°C) (00010)
	1429	18.0	ND	7.2	ND	11.4
	1430	20.0	ND	7.2	ND	11.4
	1431	22.0	ND	7.2	ND	11.3
	1432	24.0	ND	7.2	ND	11.3
	1433	26.0	ND	7.2	ND	11.3
	1434	28.0	ND	7.2	ND	11.3
	1435	29.0	ND	7.1	ND	11.3
Sweetwater River below Steele Canyon Bridge at Cottonwood Golf Course						
January 29, 2000	1000	ND	ND	8.4	2,750	11.2